STA 4322-STA 5325 Exam 2

April 28, 2022

Student's name:

Book: yes no

Notes: yes no

This is a 400 points, show your work, 120 minute exam, partially covering Chapters 5 - 10 from your textbook as well as lecture notes after midterm and problems assigned as homework. There is a deduction of 15% from your score if you use your notes or your book, and of 25% if you use them both. Good luck!

EXERCISE 1. ***(60 points)*** *A book editor packages high school textbooks in boxes of 40. It is presumed that, on average, such a textbook weighs 2 pounds, with a known standard deviation of 0.16 pounds. If 40 such textbooks selected from a random package, weigh together 81 pounds, at level $\alpha = 0.05$ is the average weigh of a randomly selected textbook significantly higher than the presumed mean weigh?*

EXERCISE 2. ***(60 points)*** *Given $x_{a,1}, \dots, x_{a,n_a}$ two random samples from independent probability distributions $Q_a, a = 1, 2$, having finite means and variances, derive a large sample interval estimate at confidence level $1 - \alpha$ for the difference between their two means μ_1, μ_2 in terms of these two samples only, if $lim_{n\to\infty} \frac{n_1}{n} = \lambda \in (0, 1)$, where $n = n_1 + n_2$.*

EXERCISE 3. ***(60 points)*** *Given two large random samples $x_{a,1}, \dots, x_{a,n_a}$ from independent Bernoulli trials with probabilities of success $\theta_a, a = 1, 2,$, derive an interval estimate at confidence level $1 - \alpha$*

for the difference $\theta_1 - \theta_2$ between these probabilities of success, in terms of these two samples only, if $lim_{n\to\infty}\frac{n_1}{n} = \lambda \in (0, 1)$, where $n = n_1 + n_2$.

EXERCISE 4. ***(70 points)***. *Assume $x_1, \ldots, x_n$ is a large random sample from a Beta distribution $\mathcal{B}eta(\theta, 1)$. Construct a rejection region of size α for the hypothesis testing problem $H_0 : \theta = 1$ vs. the alternative $H_1 : \theta > 1$. .*

EXERCISE 5. ***(70 points).*** *Assume $x_1, \ldots, x_m$ and $y_1, \ldots, y_n$ are random sample from independent exponential distributions with means θ_1, respectively θ_2. Find a UMPU test of size α for the hypothesis testing problem $H_0 : \theta_1 \le \theta_2$ vs. the alternative $H_1 : \theta_1 > \theta_2$*

EXERCISE 6. ***(80 points)*** *Let $(x_1 y_1)^T \ldots, (x_n y_n)^T$ be a random sample from a bivariate normal distribution $\mathcal{N}_2(\mu, \Sigma)$, where $\mu = (\mu_X \mu_Y)^T$ and $\Sigma = \begin{pmatrix} \sigma_X^2 & \rho\sigma_X\sigma_Y \\ \rho\sigma_X\sigma_Y & \sigma_Y^2 \end{pmatrix}$. Derive a LR test of asymptotic size α for the hypothesis testing problem $H_0 : \mu_X = \mu_Y$ vs. $H_1 : \mu_X \ne \mu_Y$.*

Table of areas under the standard normal density curve from 0 to x.

x	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.00000	0.00399	0.00798	0.01197	0.01595	0.01994	0.02392	0.02790	0.03188	0.03586
0.1	0.03983	0.04380	0.04776	0.05172	0.05567	0.05962	0.06356	0.06749	0.07142	0.07535
0.2	0.07926	0.08317	0.08706	0.09095	0.09483	0.09871	0.10257	0.10642	0.11026	0.11409
0.3	0.11791	0.12172	0.12552	0.12930	0.13307	0.13683	0.14058	0.14431	0.14803	0.15173
0.4	0.15542	0.15910	0.16276	0.16640	0.17003	0.17364	0.17724	0.18082	0.18439	0.18793
0.5	0.19146	0.19497	0.19847	0.20194	0.20540	0.20884	0.21226	0.21566	0.21904	0.22240
0.6	0.22575	0.22907	0.23237	0.23565	0.23891	0.24215	0.24537	0.24857	0.25175	0.25490
0.7	0.25804	0.26115	0.26424	0.26730	0.27035	0.27337	0.27637	0.27935	0.28230	0.28524
0.8	0.28814	0.29103	0.29389	0.29673	0.29955	0.30234	0.30511	0.30785	0.31057	0.31327
0.9	0.31594	0.31859	0.32121	0.32381	0.32639	0.32894	0.33147	0.33398	0.33646	0.33891
1.0	0.34134	0.34375	0.34614	0.34849	0.35083	0.35314	0.35543	0.35769	0.35993	0.36214
1.1	0.36433	0.36650	0.36864	0.37076	0.37286	0.37493	0.37698	0.37900	0.38100	0.38298
1.2	0.38493	0.38686	0.38877	0.39065	0.39251	0.39435	0.39617	0.39796	0.39973	0.40147
1.3	0.40320	0.40490	0.40658	0.40824	0.40988	0.41149	0.41308	0.41466	0.41621	0.41774
1.4	0.41924	0.42073	0.42220	0.42364	0.42507	0.42647	0.42785	0.42922	0.43056	0.43189
1.5	0.43319	0.43448	0.43574	0.43699	0.43822	0.43943	0.44062	0.44179	0.44295	0.44408
1.6	0.44520	0.44630	0.44738	0.44845	0.44950	0.45053	0.45154	0.45254	0.45352	0.45449
1.7	0.45543	0.45637	0.45728	0.45818	0.45907	0.45994	0.46080	0.46164	0.46246	0.46327
1.8	0.46407	0.46485	0.46562	0.46638	0.46712	0.46784	0.46856	0.46926	0.46995	0.47062
1.9	0.47128	0.47193	0.47257	0.47320	0.47381	0.47441	0.47500	0.47558	0.47615	0.47670
2.0	0.47725	0.47778	0.47831	0.47882	0.47932	0.47982	0.48030	0.48077	0.48124	0.48169
2.1	0.48214	0.48257	0.48300	0.48341	0.48382	0.48422	0.48461	0.48500	0.48537	0.48574
2.2	0.48610	0.48645	0.48679	0.48713	0.48745	0.48778	0.48809	0.48840	0.48870	0.48899
2.3	0.48928	0.48956	0.48983	0.49010	0.49036	0.49061	0.49086	0.49111	0.49134	0.49158
2.4	0.49180	0.49202	0.49224	0.49245	0.49266	0.49286	0.49305	0.49324	0.49343	0.49361

x	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
2.5	0.49379	0.49396	0.49413	0.49430	0.49446	0.49461	0.49477	0.49492	0.49506	0.49520
2.6	0.49534	0.49547	0.49560	0.49573	0.49585	0.49598	0.49609	0.49621	0.49632	0.49643
2.7	0.49653	0.49664	0.49674	0.49683	0.49693	0.49702	0.49711	0.49720	0.49728	0.49736
2.8	0.49744	0.49752	0.49760	0.49767	0.49774	0.49781	0.49788	0.49795	0.49801	0.49807
2.9	0.49813	0.49819	0.49825	0.49831	0.49836	0.49841	0.49846	0.49851	0.49856	0.49861
3.0	0.49865	0.49869	0.49874	0.49878	0.49882	0.49886	0.49889	0.49893	0.49896	0.49900
3.1	0.49903	0.49906	0.49910	0.49913	0.49916	0.49918	0.49921	0.49924	0.49926	0.49929
3.2	0.49931	0.49934	0.49936	0.49938	0.49940	0.49942	0.49944	0.49946	0.49948	0.49950
3.3	0.49952	0.49953	0.49955	0.49957	0.49958	0.49960	0.49961	0.49962	0.49964	0.49965
3.4	0.49966	0.49968	0.49969	0.49970	0.49971	0.49972	0.49973	0.49974	0.49975	0.49976
3.5	0.49977	0.49978	0.49978	0.49979	0.49980	0.49981	0.49981	0.49982	0.49983	0.49983
3.6	0.49984	0.49985	0.49985	0.49986	0.49986	0.49987	0.49987	0.49988	0.49988	0.49989
3.7	0.49989	0.49990	0.49990	0.49990	0.49991	0.49991	0.49992	0.49992	0.49992	0.49992
3.8	0.49993	0.49993	0.49993	0.49994	0.49994	0.49994	0.49994	0.49995	0.49995	0.49995
3.9	0.49995	0.49995	0.49996	0.49996	0.49996	0.49996	0.49996	0.49996	0.49997	0.49997
4.0	0.49997	0.49997	0.49997	0.49997	0.49997	0.49997	0.49998	0.49998	0.49998	0.49998